TARK VIIIT IN TO

•		JOO7 Rec'd PG77F10 U.9 MAT, 2001						
Form PTO-1390US DEPARTMENT OF COMMERCE PATENT (Rev. 5-93) TRANSMITTAL LETTER TO THE DESIGNATED/ELECTED OFFICE CONCERNING A FILING UNDER	UNITED STATES E (DO/EO/US)	U.S APPLICATION NO (If known sec 17 CFR 1.5) 09/831431						
INTERNATIONAL APPLICATION NO. PCT/EP99/08286	Nevember 0							
TITLE OF INVENTION UTILIZATION OF CATION-ACTION	VE MIXTURES							
APPLICANT(S) FOR DO/EO/US Bettina Jackwerth, Thomas Gas	ssenmeier, Cristina Amela C	onesa, and Esther Prat Queralt						
Applicant herewith submits to the United State	es Designated/Elected Office (EO/DO/US) the following items and other information:						
1. This is a FIRST submission of items	s concerning a filing under 35 U.S.C. 371.							
2. ☐ This a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.								
3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1).								
n anys	Preliminary Examination was made by the	e 19th month from the earliest claimed priority date.						
h has been transmitted by the	uired only if not transmitted by the interna							
6. A translation of the International Appli	ication into English (35 U.S.C. 371(c)(2))							
a. are transmitted herewith (reb. have been transmitted by the control have not been made; howen the control have not been made and we have not been transmitted by the control have been transmitted by the control have been transmitted by the control have not been made; however, and the control have been transmitted by the control have not been made; however, and the control have not been made and we have not been made and w	ever, the time limit for making such ameno fill not be made.	national Bureau). Iments has NOT expired.						
\$ *****	ne claims under PCT Article 19 (35 U.S.C							
e seems	(s) (35 U.S.C. 371(c)(4)). (UNEXECUTI							
10 A translation of the annexes to the In (35 U.S.C. 371(c)(5)).		rt under PCT Article 36						
Items 11. to 16. below concern other doct 11. An Information Disclosure Statement	under 37 CFR 1.97 and 1.98.							
12. An assignment document for recording	ng. A separate cover sheet in compliance	e with 37 CFR 3.28 and 3.31 is included.						
13. ■ A FIRST preliminary amendment □ A SECOND or SUBSEQUENT prelim	ninary amendment.							
14. ☐ A substitute specification.								
15. ☐ A change of power of attorney and/o	r address letter.							
16. ☐ Other items or information.:								
"Express Mail" mailing label number	EL541613240US							

U.S. Application No. (If known	\$ 31431	ATTORNEY'S DOCKET NUMBER H3739 PCT/US			
	ee (37 CFR 1.492(a)(1)			CALCULATIONS	PTO USE ONLY
·	en prepared by the EPO				
· · · · · · · · · · · · · · · · · · ·	ry examination fee paid				
	ninary examination fee paid to USPTO (37CF				
	reliminary examination f e (37 CFR 1.445(a)(2))	<u> </u>			
	ry examination fee paid d provisions of PCT Artic				
ENTER APP	PROPRIATE BAS	\$ 860	00		
Surcharge of \$130.00 for furn months from the earliest claim		\$			
Claims	Number filed	Number Extra	Rate		
Total Claims	12 - 20 =	0	X 18.00	\$ 0	00
Independent Claims	2 - 3 =	0	X 80.00	\$ 0	00
Mម៉ាំពិple dependent claims (s)	(if applicable)	00	+ 260.00	\$ 0	00
TOTAL	OF ABOVE CAL	\$ 860	00		
Reduction by ½ for filing by s also be filed. (Note 37 CFR 1		\$			
The state of the s		SUBTOTAL	L =	\$ 860	00
Processing fee of \$130.00 for mouths from the earliest claim	-		20 🗆 30 +	\$	
g with	T	OTAL NATIONA	LFEE =	\$ 860	00
Fee for recording the enclose accompanied by an appropria	• ,			\$	
	To	OTAL FEES EN	CLOSED =	\$ 860	00
				Amount to be: refunded	\$
				charged	860.00
c. The Assistant Commi	posit Account No	1177 in the amount of der No. 01-0273 rized to charge any add 77 . A triplicate cop CFR 1.494 or 1.495 has bending status.	of \$860.00 Itional fees which may of this sheet is end is not been met, a pt. 2. 200 Ste NA 36,	closed. petition to revive (3: GNATURE	edit any 7 CFR 1.137 (a) or (b)) must FOR APPLICANT

Form PTO 1390 (REV 5-93)

The start than the start that the start the start the start that t

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant :

Jackwerth et al.

I.A. Number: I.A. Filing Date:

PCT/EP99/08286 October 30, 1999

Priority Date:

November 9, 1998

Title

UTILIZATION OF CATION-ACTIVE MIXTURES

Grp./A.U.

Unknown

Examiner

Unknown

Docket No. :

H 3739 PCT/US

Assistant Commissioner for Patents

Box PCT

ATTN: DO/EO/US

Washington, DC 20231

PRELIMINARY AMENDMENT

Sir:

Preliminary to examination, please amend the instant application as follows.

In the Specification:

At page 1, line 1, please delete "Field of the Invention" and replace with

--Background of the Invention--.

At page 1, line 6, delete "Prior Art".

Enter a new page 27, submitted herewith, containing the Abstract of the Disclosure.

In the Claims:

Cancel claims 1-10, without prejudice.

Enter the following new claims.

- 11. A process for treating human skin and hair comprising contacting the skin or hair with an aqueous composition containing:
 - (a) an esterquat;

Preliminary Amendment of U.S. National Stage for International Application PCT/EP99/08286 filed October 30, 1999

- (b) an oil component;
- (c) a fatty alcohol; and
- (d) a fatty alcohol polyglycol ether.
- 12. The process of claim 11 wherein the esterquat is present in the composition in an amount of from about 0.1 to 25% by weight, based on the weight of the composition.
- 13. The process of claim 11 wherein the oil component is present in the composition in an amount of from about 0.5 to 90% by weight, based on the weight of the composition.
- 14. The process of claim 11 wherein the fatty alcohol is present in the composition in an amount of from about 0.1 to 75% by weight, based on the weight of the composition.
- 15. The process of claim 11 wherein the fatty alcohol is cetearyl alcohol.
- 16. The process of claim 11 wherein the fatty alcohol polyglycol ether is present in the composition in an amount of from about 0.1 to 75% by weight, based on the weight of the composition.
- 17. The process of claim 11 wherein the fatty alcohol polyglycol ether is a cetearyl ethoxylate having from about 1 to 20 moles of ethylene oxide.
- 18. The process of claim 11 wherein both the fatty alcohol and the fatty alcohol polyglycol ether have identical fatty acid residues.
- 19. The process of claim 11 wherein (a), (c) and (d) are present in the composition in a ratio by weight of (a):(c)+(d) of from about 90:10 to 10:90.
- 20. The process of claim 11 wherein (a), (c) and (d) are present in the composition in a ratio by weight of (a):(c)+(d) of from about 80:20 to 70:30.
- 21. The process of claim 11 wherein (a), (c) and (d) are present in the composition in a ratio by weight of (a):(c)+(d) of from about 20:80 to 30:70.
- 22. A process for treating human skin and hair comprising contacting the skin or hair with an aqueous composition containing:
 - (a) from about 5 to 15% by weight of an esterquat;
 - (b) from about 5 to 50% by weight of an oil component;

Preliminary Amendment of U.S. National Stage for International Application PCT/EP99/08286 filed October 30, 1999

- (c) from about 5 to 50% by weight of a fatty alcohol; and
- (d) from about 5 to 50% by weight of a fatty alcohol polyglycol ether, all weights being based on the total weight of the composition.

Preliminary Amendment of U.S. National Stage for International Application PCT/EP99/08286 filed October 30, 1999

REMARKS/ARGUMENTS

Claims 11-22 are currently pending in the instant application.

The Specification has been amended to include the preferred section headings pursuant to 37 C.F.R. §1.77. An Abstract of the Disclosure has been added on a separate sheet. All of the amendments to the Specification constitute deletions of original section headings and/or paragraphs, and insertions or additions of new section headings and/or paragraphs. It is submitted that the amendments to the Specification made herein introduce no new matter. Their entry is therefore proper and respectfully requested. Accordingly, pursuant to 37 C.F.R. §1.121(b)(1)(iii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary.

Original claims 1-10 have been canceled and replaced with new claims 11-22 solely for the purpose of improving clarity and grammar, which may suffer in translation, and not for any reason which relates to the statutory requirements for a patent. New claims 11-22 have not been added in response to any rejection, nor in anticipation of any rejection. Applicant(s) respectfully submit(s) that the scope of new claims 11-22 corresponds to the scope of original claims 1-10, and that new claims 11-22 are no narrower than original claims 1-10. Furthermore, although a moot point in view of their cancellation, Applicant(s) respectfully submit(s) that original claims 1-10 satisfied the requirements of 35 U.S.C. §112, as filed. New claims 11-22 are supported by the claims as originally filed and by the Examples. No new matter has been introduced. Entry is therefore proper and respectfully requested.

Prompt examination of the instant application in view of the

to the first time to the first that the first time the first time that the first time the first time that the first time that the first time that the first time time the first time time that the first time time the first time time the first time time time time time

Preliminary Amendment of U.S. National Stage for International Application PCT/EP99/08286 filed October 30, 1999

amendments made herein is respectfully requested.

Respectfully submitted,

Steven J. Trzaska (Reg. No. 36,296) Attorney for Applicants (610) 278-4929

Cognis Corporation
Law Department
2500 Renaissance Boulevard, Suite 200
Gulph Mills, PA 19406
G:\Data\H3739pam.doc

Attached:

1. Added Page 27

JC08 Rec'd PGT/PTO 0 9 MAY 2001

WO 00/27354

1

PCT/EP99/08286

Utilization of Cation-active Mixtures

Field of the Invention

This invention relates generally to cationic surfactants and, more particularly, to the use of oil-containing cosmetic preparations containing esterquats, fatty alcohols and fatty alcohol polyglycol ethers.

5

Prior Art

Cationic surfactants of the esterquat type have been used for some time for hair conditioning cosmetics. By virtue of their favorable sensorial properties, these compounds are also being increasingly used in skin cosmetics. However, cosmetic emulsions containing known esterquats as conditioning agents or cationic emulsifiers, are not entirely satisfactory from the performance point of view. For example consumers complain that the emulsions leave an oily residue behind, do not spread quickly enough and should be absorbed more quickly.

15

10

Reference is made in this connection to German patent **DE-C1 4308794** (Henkel) which describes a process for the production of solid esterquats in which the quaternization of triethanolamine esters is carried out in the presence of suitable dispersants, preferably fatty alcohols; these preparations are used as hair conditioners. In addition, according to **DE-C1 4335782** (Henkel), the quaternization of triethanolamine fatty acid esters is carried out in the presence of polyols, for example glycerol, ethylene glycol, partial glycerides, nonionic surfactants and the like, in order to avoid the use of inflammable isopropyl alcohol as solvent.

25

20

Accordingly, the problem addressed by the present invention was to provide oil-containing cosmetic preparations containing cationic surfactants of the esterquat type which would be distinguished by improved sensorial properties and, in particular, by quick spreading and rapid residue-free absorption.

Description of the Invention

The present invention relates to the use of cationic mixtures containing

5

- (a) esterquats,
- (b) oil components,
- (c) fatty alcohols and
- (d) fatty alcohol polyglycol ethers

10

for the production of skin-cleansing and skin-care preparations.

It has surprisingly been found that oil-containing skin-cleansing and skin-care preparations, preferably in emulsion form, which contain esterquats together with fatty alcohols and fatty alcohol polyglycol ethers, preferably mixtures of cetearyl alcohol and cetearyl ethoxylates, provide the skin with a particularly pleasant feel, do not leave any residues behind, spread quickly and are rapidly absorbed.

Esterquats

20

25

15

"Esterquats" are generally understood to be quaternized fatty acid triethanolamine ester salts. These are known substances which may be obtained by the relevant methods of preparative organic chemistry, cf. International patent application **WO 91/01295** (Henkel). According to this document, triethanolamine is partly esterified with fatty acids in the presence of hypophosphorous acid, air is passed through and the reaction product is quaternized with dimethyl sulfate or ethylene oxide. Overviews on this subject have been published, for example, by R. Puchta et al. in **Tens. Surf. Det.**, <u>30</u>, 186 (1993), by M. Brock in **Tens. Surf, Det.** <u>30</u>, 394 (1993), by R. Lagerman et al. in **J. Am. Oil. Chem. Soc.**, <u>71</u>, 97 (1994) and by I. Shapiro in **Cosm. Toil**, <u>109</u>, 77 (1994).

30

15

20

25

The esterquats which form component (a) correspond, for example, to formula (I):

$$\begin{array}{c|c} & & & & & \\ & & & & \\ & & & & \\ & &$$

in which R1CO is an acyl group containing 6 to 22 carbon atoms and preferably 12 to 18 carbon atoms, R² and R³ independently of one another represent hydrogen or have the same meaning as R1CO, R4 is an alkyl group containing 1 to 4 carbon atoms or a (CH2CH2O)qH group, m, n and p together stand for 0 or numbers of 1 to 12, q is a number of 1 to 12 and X is halide, alkyl sulfate or alkyl phosphate. To produce the quaternized esters, the fatty acids, for example palm oil fatty acid, coconut oil fatty acid or tallow fatty acid, and the triethanolamine may be used in a molar ratio of 1.1:1 to 3:1. With the performance properties of the esterquats in mind, a ratio of 1.2:1 to 2.2:1 and preferably 1.5:1 to 1.9:1 has proved to be particularly advantageous. The preferred esterquats are technical mixtures of mono-, di- and triesters with an average degree of esterification of 1.5 to 1.9 and are derived from technical C_{12/18} palm oil fatty acid (iodine value 0 to 40). In performance terms, quaternized fatty acid triethanolamine ester salts corresponding to formula (I), in which R1CO is a palm acyl group containing 12 to 18 carbon atoms, R² has the same meaning as R¹CO, R³ is hydrogen, R4 is a methyl group, m, n and p stand for 0 and X stands for methyl sulfate, have proved to be particularly advantageous.

Another group of suitable esterquats are quaternized ester salts of the fatty acids mentioned with diethanolalkyamines corresponding to formula (II):

$$\begin{array}{c} R^4 \\ | \\ [R^1CO-(OCH_2CH_2)_mOCH_2CH_2-N^+-CH_2CH_2O-(CH_2CH_2O)_nR^2]X^- \\ | \\ R^5 \end{array}$$

in which R¹CO is an acyl group containing 6 to 22 carbon atoms and preferably 12 to 18 carbon atoms, R² is hydrogen or has the same meaning as R¹CO, R⁴ and R⁵ independently of one another are alkyl groups containing 1 to 4 carbon atoms, m and n together stand for 0 or numbers of 1 to 12 and X stands for halide, alkyl sulfate or alkyl phosphate. Finally, another group of suitable esterquats are the quaternized ester salts of the fatty acids mentioned with 1,2-dihydroxypropyl dialkylamines corresponding to formula (III):

10

5

20

25

in which R¹CO is an acyl group containing 6 to 22 carbon atoms and preferably 12 to 18 carbon atoms, R² is hydrogen or has the same meaning as R¹CO, R⁴, R⁶ and Rⁿ independently of one another are alkyl groups containing 1 to 4 carbon atoms, m and n together stand for 0 or numbers of 1 to 12 and X stands for halide, alkyl sulfate or alkyl phosphate. So far as the choice of the optimum degree of esterification is concerned, the examples mentioned in regard to (I) also apply to the esterquats of formulae (II) and (III).

30

Oil components

Suitable oil components are, for example, Guerbet alcohols based on fatty alcohols containing 6 to 18 and preferably 8 to 10 carbon atoms,

esters of linear $C_{6\text{-}22}$ fatty acids with linear $C_{6\text{-}22}$ fatty alcohols, esters of branched C_{6-13} carboxylic acids with linear C_{6-22} fatty alcohols, esters of linear $C_{6\text{-}22}$ fatty acids with branched alcohols, more particularly 2-ethyl hexanol, esters of hydroxycarboxylic acids with linear or branched $C_{6\text{-}22}$ fatty alcohols, more especially Dioctyl Malate, esters of linear and/or branched fatty acids with polyhydric alcohols (for example propylene glycol, dimer diol or trimer triol) and/or Guerbet alcohols, triglycerides based on $C_{6\text{--}10}$ fatty acids, liquid mono-/di-/triglyceride mixtures based on $C_{6\text{--}18}$ fatty acids, esters of C₆₋₂₂ fatty alcohols and/or Guerbet alcohols with aromatic carboxylic acids, more particularly benzoic acid, esters of C₂₋₁₂ dicarboxylic acids with linear or branched alcohols containing 1 to 22 carbon atoms or polyols containing 2 to 10 carbon atoms and 2 to 6 hydroxyl groups, vegetable oils, branched primary alcohols, substituted cyclohexanes, linear and branched C₆₋₂₂ fatty alcohol carbonates, Guerbet carbonates, esters of benzoic acid with linear and/or branched C₆₋₂₂ alcohols (for example Finsolv® TN), linear or branched, symmetrical or nonsymmetrical dialkyl ethers containing 6 to 22 carbon atoms per alkyl group, ring opening products of epoxidized fatty acid esters with polyols, silicone oils and/or aliphatic or naphthenic hydrocarbons.

20

15

5

10

Fatty alcohols and fatty alcohol polyglycol ethers

Fatty alcohols in the context of the invention are primary, preferably long-chain and linear alcohols which typically correspond to formula (IV):

25 **R⁸OH**

30

(IV)

in which R⁸ is a linear or branched alkyl or alkenyl group containing 6 to 22 carbon atoms. Typical examples are caproic alcohol, caprylic alcohol, capric alcohol, lauryl alcohol, myristyl alcohol, cetyl alcohol, stearyl alcohol, oleyl alcohol, erucyl alcohol, behenyl alcohol and the technical mixtures

10

15

20

obtained in the pressure hydrolysis of natural triglycerides. The fatty alcohol polyglycol ethers preferably correspond to formula (V):

R⁹O(CH₂CH₂O)_nH

(V)

in which R9 is a linear or branched alkyl and/or alkenyl group containing 6 to 22 carbon atoms and is a number of 1 to 20. They may be products of the addition of 1 to 20 and preferably 10 to 15 moles ethylene oxides onto the above-mentioned fatty alcohols; the ethoxylates may have both a conventional broad homolog distribution and a narrow homolog distribution. It has proved to be of advantage for fatty alcohols and polyglycol ethers to have the same fatty residue. Cetearyl alcohol, a 1:1 mixture of cetyl and stearyl alcohol, and adducts of 1 to 20 and preferably 10 to 15 moles ethylene oxide with cetearyl alcohol are preferably used. Mixtures of components (a), (c) and (d) which are obtained as technical mixtures through the production process used are also preferred. To this end, alkanolamine fatty acid esters are reacted with alkylating agents in the presence of such quantities of fatty alcohol and fatty alcohol polyglycol ethers, preferably mixtures of cetearyl alcohol and cetearyl polyglycol ethers, that a ratio by weight of esterquat to fatty alcohol/fatty alcohol polyglyol ether of 90:10 to 10:90 and preferably 80:20 to 70:30 or 20:80 to 30:70 is obtained. The esterification and quaternization may be carried out in known manner, as fully described, for example, in DE-C1 4308794 and DE-C1 4335782 (Henkel). The particular advantage of using such mixtures is that they are easy to disperse, even without heating. Surprisingly, these directly prepared binary mixtures are also sensorially superior to the mixture of individual components in the formulation.

Cosmetic preparations

As mentioned at the beginning, the cosmetic preparations according

25

to the present invention are normally emulsions which may be both w/o and o/w emulsions; multiple emulsions of the w/o/w or o/w/o type are also suitable. In one preferred embodiment of the invention, the preparations may have the following composition:

5

- (a) 0.1 to 25, preferably 5 to 15% by weight of esterquats,
- (b) 0.5 to 90, preferably 5 to 50% by weight of oil components,
- (c) 0.1 to 75, preferably 5 to 50% by weight of fatty alcohols and
- (d) 0.1 to 75, preferably 5 to 50% by weight alcohol polyglycol ethers,

10

with the proviso that the quantities shown add up to 100% by weight with water and optionally other ingredients.

Commercial Applications

15

20

The preparations according to the invention, for example hair aftertreatments, hair conditioners, hair coloring emulsions, body washes and body-care products, sun protection creams, lotions and ointments and make-up and other decorative cosmetic products, may also contain mild surfactants, emulsifiers, superfatting agents, pearlizing waxes, stabilizers, consistency factors, thickeners, polymers, silicone compounds, biogenic agents, deodorants, antidandruff agents, film formers, preservatives, hydrotropes, solubilizers, UV protection factors, antioxidants, insect repellents, self-tanning agents, perfume oils, dyes and the like as further auxiliaries and additives.

25

30

Typical examples of suitable mild, i.e. particularly dermatologically compatible, **surfactants** are fatty alcohol polyglycol ether sulfates, monoglyceride sulfates, mono- and/or dialkyl sulfosuccinates, fatty acid isethionates, fatty acid sarcosinates, fatty acid taurides, fatty acid glutamates, ether carboxylic acids, alkyl oligoglucosides, fatty acid glucamides, akylamidobetaines and/or protein fatty acid condensates,

15

20

preferably based on wheat proteins.

Suitable **emulsifiers** are, for example, nonionic surfactants from at least one of the following groups:

- 5 (1) products of the addition of 2 to 30 moles ethylene oxide and/or 0 to 5 moles propylene oxide onto linear fatty alcohols containing 8 to 22 carbon atoms, onto fatty acids containing 12 to 22 carbon atoms and onto alkylphenols containing 8 to 15 carbon atoms in the alkyl group;
 - (2) C_{12/18} fatty acid monoesters and diesters of products of the addition of
 1 to 30 moles ethylene oxide onto glycerol;
 - (3) glycerol monoesters and diesters and sorbitan monoesters and diesters of saturated and unsaturated fatty acids containing 6 to 22 carbon atoms and ethylene oxide adducts thereof;
 - (4) alkyl mono- and oligoglycosides containing 8 to 22 carbon atoms in the alkyl group and ethoxylated analogs thereof;
 - (5) adducts of 15 to 60 moles ethylene oxide with castor oil and/or hydrogenated castor oil;
 - (6) polyol esters and, in particular, polyglycerol esters such as, for example, polyglycerol polyricinoleate, polyglycerol poly-12-hydroxy-stearate and polyglycerol dimerate. Mixtures of compounds from several of these classes are also suitable;
 - (7) products of the addition of 2 to 15 moles ethylene oxide onto castor oil and/or hydrogenated castor oil;
- (8) partial esters based on linear, branched, unsaturated or saturated C_{6/22} fatty acids, ricinoleic acid and 12-hydroxystearic acid and glycerol, polyglycerol, pentaerythritol, dipentaerythritol, sugar alcohols (for example sorbitol), alkyl glucosides (for example methyl glucoside, butyl glucoside, lauryl glucoside) and polyglucosides (for example cellulose);
- 30 (9) mono-, di- and trialkyl phosphates and mono-, di- and/or tri-PEG-alkyl

phosphates and salts thereof;

- (10) wool wax alcohols;
- (11) polysiloxane/polyalkyl polyether copolymers and corresponding derivatives;
- (12) mixed esters of pentaerythritol, fatty acids, citric acid and fatty alcohol according to **DE-PS 1165574** and/or mixed esters of fatty acids containing 6 to 22 carbon atoms, methyl glucose and polyols, preferably glycerol or polyglycerol, and
 - (13) polyalkylene glycols.

10

15

5

The addition products of ethylene oxide and/or propylene oxide with fatty alcohols, fatty acids, glycerol monoesters and diesters and sorbitan monoesters and diesters of fatty acids or with castor oil are known commercially available products. They are homolog mixtures of which the average degree of alkoxylation corresponds to the ratio between the quantities of ethylene oxide and/or propylene oxide and substrate with which the addition reaction is carried out. C_{12/18} fatty acid monoesters and diesters of adducts of ethylene oxide with glycerol are known as refatting agents for cosmetic formulations from **DE-PS 20 24 051**.

20

25

30

C_{8/18} alkyl mono- and oligoglycosides, their production and their use are known from the prior art. They are produced in particular by reacting glucose or oligosaccharides with primary alcohols containing 8 to 18 carbon atoms. So far as the glucoside unit is concerned, both monoglycosides in which a cyclic sugar unit is attached to the fatty alcohol by a glycoside bond and oligomeric glycosides with a degree of oligomerization of preferably up to about 8 are suitable. The degree of oligomerization is a statistical mean value on which the homolog distribution typical of such technical products is based.

Other suitable emulsifiers are zwitterionic surfactants. Zwitterionic surfactants are surface-active compounds which contain at least one

10

15

20

quaternary ammonium group and at least one carboxylate and one Particularly suitable zwitterionic sulfonate group in the molecule. surfactants are the so-called betaines, such as the N-alkyl-N,N-dimethyl ammonium glycinates, for example cocoalkyl dimethyl ammonium glycinate, N-acylaminopropyl-N,N-dimethyl ammonium glycinates, for example cocoacylaminopropyl dimethyl ammonium glycinate, and 2-alkyl-3-carboxymethyl-3-hydroxyethyl imidazolines containing 8 to 18 carbon atoms in the alkyl or acyl group and cocoacylaminoethyl hydroxyethyl carboxymethyl glycinate. The fatty acid amide derivative known under the CTFA name of Cocamidopropyl Betaine is particularly preferred. Ampholytic surfactants are also suitable emulsifiers. Ampholytic surfactants are surface-active compounds which, in addition to a C8/18 alkyl or acyl group, contain at least one free amino group and at least one -COOHor -SO₃H- group in the molecule and which are capable of forming inner salts. Examples of suitable ampholytic surfactants are N-alkyl glycines, Nalkyl propionic acids, N-alkylaminobutyric acids, N-alkyliminodipropionic acids, N-hydroxyethyl-N-alkylamidopropyl glycines, N-alkyl taurines, N-alkyl sarcosines, 2-alkylaminopropionic acids and alkylaminoacetic acids containing around 8 to 18 carbon atoms in the alkyl group. Particularly are N-cocoalkylaminopropionate, surfactants preferred ampholytic cocoacylaminoethyl aminopropionate and C_{12/18} acyl sarcosine. Besides ampholytic emulsifiers, quaternary emulsifiers may also be used, those of difatty acid methyl-quaternized preferably type. the esterquat triethanolamine ester salts, being particularly preferred.

Superfatting agents may be selected from such substances as, for example, lanolin and lecithin and also polyethoxylated or acylated lanolin and lecithin derivatives, polyol fatty acid esters, monoglycerides and fatty acid alkanolamides, the fatty acid alkanolamides also serving as foam stabilizers.

Suitable pearlizing waxes are, for example, alkylene glycol esters,

25

10

15

20

25

30

especially ethylene glycol distearate; fatty acid alkanolamides, especially cocofatty acid diethanolamide; partial glycerides, especially stearic acid monoglyceride; esters of polybasic, optionally hydroxysubstituted carboxylic acids with fatty alcohols containing 6 to 22 carbon atoms, especially long-chain esters of tartaric acid; fatty compounds, such as for example fatty alcohols, fatty ketones, fatty aldehydes, fatty ethers and fatty carbonates which contain in all at least 24 carbon atoms, especially laurone and distearylether; fatty acids, such as stearic acid, hydroxystearic acid or behenic acid, ring opening products of olefin epoxides containing 12 to 22 carbon atoms with fatty alcohols containing 12 to 22 carbon atoms and/or polyols containing 2 to 15 carbon atoms and 2 to 10 hydroxyl groups and mixtures thereof.

The consistency factors mainly used are fatty alcohols or hydroxyfatty alcohols containing 12 to 22 and preferably 16 to 18 carbon atoms and also partial glycerides, fatty acids or hydroxyfatty acids. A combination of these substances with alkyl oligoglucosides and/or fatty acid N-methyl glucamides of the same chain length and/or polyglycerol poly-12-hydroxystearates is preferably used. Suitable thickeners are, for example, polysaccharides, more especially xanthan gum, guar-guar, agaragar, alginates and tyloses, carboxymethyl cellulose and hydroxyethyl cellulose, also relatively high molecular weight polyethylene glycol monoesters and diesters of fatty acids, polyacrylates (for example Carbopols® [Goodrich] or Synthalens® [Sigma]), polyacrylamides, polyvinyl alcohol and polyvinyl pyrrolidone, surfactants such as, for example, ethoxylated fatty acid glycerides, esters of fatty acids with polyols, for example pentaerythritol or trimethylol propane, narrow-range fatty alcohol ethoxvlates or alkyl oligoglucosides and electrolytes, such as sodium chloride and ammonium chloride.

Suitable cationic polymers are, for example, cationic cellulose derivatives such as, for example, the quaternized hydroxyethyl cellulose

10

15

20

25

30

obtainable from Amerchol under the name of Polymer JR 400®, cationic starch, copolymers of diallyl ammonium salts and acrylamides, quaternized vinyl pyrrolidone/vinyl imidazole polymers such as, for example, Luviquat® (BASF), condensation products of polyglycols and amines, quaternized collagen polypeptides such as, for example, Lauryldimonium Hydroxypropyl Hydrolyzed Collagen (Lamequat® L, Grünau), quaternized wheat polypeptides, polyethyleneimine, cationic silicone polymers such as, for example, amodimethicone, copolymers of adipic acid and dimethylaminohydroxypropyl diethylenetriamine (Cartaretine®, Sandoz), copolymers of acrylic acid with dimethyl diallyl ammonium chloride (Merquat® 550, Chemviron), polyaminopolyamides as described, for example, in FR-A 2 252 840 and crosslinked water-soluble polymers thereof, cationic chitin derivatives such as, for example, quaternized chitosan, optionally in microcrystalline distribution, condensation products of dihaloalkyls, for example dibromobutane, with bis-dialkylamines, for example bis-dimethylamino-1,3propane, cationic guar gum such as, for example, Jaguar® CBS, Jaguar® C-17, Jaguar® C-16 of Celanese, quaternized ammonium salt polymers such as, for example, Mirapol® A-15, Mirapol® AD-1, Mirapol® AZ-1 of Miranol.

anionic, zwitterionic, amphoteric and nonionic Suitable polymers are, for example, vinyl acetate/crotonic acid copolymers, vinyl pyrrolidone/vinyl acrylate copolymers, vinyl acetate/butyl maleate/isobornyl acrylate copolymers, methyl vinylether/maleic anhydride copolymers and esters thereof, uncrosslinked and polyol-crosslinked polyacrylic acids, copolymers, chloride/acrylate acrylamidopropyl trimethylammonium octylacrylamide/methyl methacrylate/tert.-butylaminoethyl methacrylate/2hydroxypropyl methacrylate copolymers, polyvinyl pyrrolidone, vinyl pyrrolidone/vinyl acetate copolymers, vinyl pyrrolidone/dimethylaminoethyl methacrylate/vinyl caprolactam terpolymers and optionally derivatized cellulose ethers and silicones.

10

15

20

25

30

Suitable **silicone compounds** are, for example, dimethyl polysiloxanes, methylphenyl polysiloxanes, cyclic silicones and amino-, fatty acid-, alcohol-, polyether-, epoxy-, fluorine-, glycoside- and/or alkyl-modified silicone compounds which may be both liquid and resin-like at room temperature. A detailed overview of suitable volatile silicones can be found in Todd et al. in **Cosm. Toil. 91, 27 (1976)**.

Typical examples of **fats** are glycerides while suitable **waxes** are inter alia beeswax, carnauba wax, candelilla wax, montan wax, paraffin wax or microwaxes, optionally in combination with hydrophilic waxes, for example cetyl stearyl alcohol or partial glycerides. Metal salts of fatty acids such as, for example, magnesium, aluminium and/or zinc stearate or ricinoleate may be used as **stabilizers**.

In the context of the invention, **biogenic agents** are, for example, tocopherol, tocopherol acetate, tocopherol palmitate, ascorbic acid, deoxyribonucleic acid, retinol, bisabolol, allantoin, phytantriol, panthenol, AHA acids, amino acids, ceramides, pseudoceramides, essential oils, plant extracts and vitamin complexes.

Suitable **deodorizers** are, for example, antiperspirants, such as aluminium chlorohydrates. These antiperspirants are colorless hygroscopic crystals which readily deliquesce in air and which accumulate when aqueous aluminium chloride solutions are concentrated by evaporation. Aluminium chlorohydrate is used for the production of perspiration-inhibiting and deodorizing formulations and probably acts by partially blocking the sweat glands through the precipitation of proteins and/or polysaccharides [cf. **J. Soc. Cosm. Chem. 24, 281 (1973)**]. For example, an aluminium chlorohydrate which corresponds to the formula [Al₂(OH)₅CI]□2.5H₂O and which is particularly preferred for the purposes of the invention is commercially available under the name of Locron® from Hoechst AG of Frankfurt, FRG [cf. **J. Pharm. Pharmcol. 26, 531 (1975)**]. Besides the chlorohydrates, aluminium hydroxylactates and acidic

10

15

20

25

30

aluminium/zirconium salts may also be used. Other suitable deodorizers are esterase inhibitors, preferably trialkyl citrates, such as trimethyl citrate, tripropyl citrate, triisopropyl citrate, tributyl citrate and, in particular, triethyl citrate (Hydagen® CAT, Henkel KGaA, Düsseldorf, FRG). inhibitors inhibit enzyme activity and thus reduce odor formation. The free acid is probably released through the cleavage of the citric acid ester, reducing the pH value of the skin to such an extent that the enzymes are Other esterase inhibitors are dicarboxylic acids and esters inhibited. thereof, for example glutaric acid, glutaric acid monoethyl ester, glutaric acid diethyl ester, adipic acid, adipic acid monoethyl ester, adipic acid malonic acid diethyl ester. acid and ester, malonic diethyl hydroxycarboxylic acids and esters thereof, for example citric acid, malic acid, tartaric acid or tartaric acid diethyl ester. Antibacterial agents which influence the germ flora and destroy or inhibit the growth of perspirationdecomposing bacteria, may also be present in stick products. Examples of such antibacterial agents are chitosan, phenoxyethanol and chlorhexidine 5-Chloro-2-(2,4-dichlorophenoxy)-phenol, which is marketed under the name of Irgasan® by Ciba-Geigy of Basel, Switzerland, has also proved to be particularly effective.

Suitable antidandruff agents are climbazol, octopirox and zinc pyrithione. Standard film formers are, for example, chitosan, microcrystalline chitosan, quaternized chitosan, polyvinyl pyrrolidone, vinyl pyrrolidone/vinyl acetate copolymers, polymers of the acrylic acid series, quaternary cellulose derivatives, collagen, hyaluronic acid and salts thereof and similar compounds. Suitable swelling agents for aqueous phases are montmorillonites, clay minerals, Pemulen and alkyl-modified Carbopol types (Goodrich). Other suitable polymers and swelling agents can be found in R. Lochhead's review in Cosm. Toil. 108, 95 (1993).

UV protection factors in the context of the invention are, for example, organic substances (UV filters) which are liquid or crystalline at

room temperature and which are capable of absorbing ultraviolet radiation and of releasing the energy absorbed in the form of longer-wave radiation, for example heat. UV-B filters can be oil-soluble or water-soluble. The following are examples of oil-soluble substances:

5

15

20

25

- 3-benzylidene camphor or 3-benzylidene norcamphor and derivatives thereof, for example 3-(4-methylbenzylidene)-camphor as described in EP-B1 0693471;
- 4-aminobenzoic acid derivatives, preferably 4-(dimethylamino)-benzoic
 acid-2-ethylhexyl ester, 4-(dimethylamino)-benzoic acid-2-octyl ester
 and 4-(dimethylamino)-benzoic acid amyl ester;
 - esters of cinnamic acid, preferably 4-methoxycinnamic acid-2-ethylhexyl ester, 4-methoxycinnamic acid propyl ester, 4-methoxycinnamic acid isoamyl ester, 2-cyano-3,3-phenylcinnamic acid-2-ethylhexyl ester (Octocrylene);
 - esters of salicylic acid, preferably salicylic acid-2-ethylhexyl ester, salicylic acid-4-isopropylbenzyl ester, salicylic acid homomenthyl ester;
 - derivatives of benzophenone, preferably 2-hydroxy-4-methoxybenzophenone, 2-hydroxy-4-methoxy-4'-methylbenzophenone, 2,2'-dihydroxy-4-methoxybenzophenone;
 - esters of benzalmalonic acid, preferably 4-methoxybenzalmalonic acid di-2-ethylhexyl ester;
 - triazine derivatives such as, for example, 2,4,6-trianilino-(p-carbo-2'-ethyl-1'-hexyloxy)-1,3,5-triazine and Octyl Triazone as described in EP-A1 0818450;
 - propane-1,3-diones such as, for example, 1-(4-tert.butylphenyl)-3-(4'-methoxyphenyl)-propane-1,3-dione;
 - ketotricyclo(5.2.1.0)decane derivatives as described in EP-B1 0694521.

- 2-phenylbenzimidazole-5-sulfonic acid and alkali metal, alkaline earth alkylammonium, metal. ammonium. alkanolammonium and glucammonium salts thereof;
- 5 sulfonic acid derivatives of benzophenones, preferably 2-hydroxy-4methoxybenzophenone-5-sulfonic acid and salts thereof;
 - sulfonic acid derivatives of 3-benzylidene camphor such as, for example, 4-(2-oxo-3-bornylidenemethyl)-benzene sulfonic acid and 2methyl-5-(2-oxo-3-bornylidene)-sulfonic acid and salts thereof.

15

20

Typical UV-A filters are, in particular, derivatives of benzoyl methane such as, for example 1-(4'-tert.butylphenyl)-3-(4'-methoxyphenyl)-propane-1,3-dione, 4-tert.butyl-4'-methoxydibenzoyl methane (Parsol 1789) or 1phenyl-3-(4'-isopropylphenyl)-propane-1,3-dione. The UV-A and UV-B filters may of course also be used in the form of mixtures. Besides the soluble substances mentioned, insoluble light-blocking pigments, i.e. finely dispersed metal oxides or salts, for example titanium dioxide, zinc oxide, iron oxide, aluminium oxide, cerium oxide, zirconium oxide, silicates (talcum), barium sulfate and zinc stearate, may also be used for this purpose. The particles should have a mean diameter of less than 100 nm, preferably between 5 and 50 nm and more preferably between 15 and 30 nm. They may be spherical in shape although ellipsoidal particles or other non-spherical particles may also be used. Other suitable UV filters can be found in P. Finkel's review in SÖFW-Journal 122, 543 (1996).

25

30

Besides the two groups of primary sun protection factors mentioned above, secondary sun protection factors of the antioxidant type may also be used. Secondary sun protection factors of the antioxidant type interrupt the photochemical reaction chain which is initiated when UV rays penetrate into the skin. Typical examples are amino acids (for example glycine, histidine, tyrosine, tryptophane) and derivatives thereof, imidazoles (for

10

15

20

25

WO 00/27354 17 PCT/EP99/08286

example urocanic acid) and derivatives thereof, peptides, such as D.Lcarnosine, D-carnosine, L-carnosine and derivatives thereof (for example anserine), carotinoids, carotenes (for example α -carotene, β -carotene, lycopene) and derivatives thereof, chlorogenic acid and derivatives thereof, liponic acid and derivatives thereof (for example dihydroliponic acid), aurothioglucose, propylthiouracil and other thiols (for example thioredoxine, glutathione, cysteine, cystine, cystamine and glycosyl, N-acetyl, methyl, ethyl, propyl, amyl, butyl and lauryl, palmitoyl, oleyl, γ-linoleyl, cholesteryl and glyceryl esters thereof) and their salts, dilaurylthiodipropionate, distearylthiodipropionate, thiodipropionic acid and derivatives thereof (esters, ethers, peptides, lipids, nucleotides, nucleosides and salts) and sulfoximine compounds (for example butionine sulfoximines, homocysteine sulfoximine, butionine sulfones, penta-, hexa- and hepta-thionine sulfoximine) in very small compatible dosages (for example pmole to μ mole/kg) also (metal) chelators (for example α -hydroxyfatty acids, palmitic acid, phytic acid, lactoferrine), α -hydroxy acids (for example citric acid, lactic acid, malic acid), humic acid, bile acid, bile extracts, bilirubin, biliverdin, EDTA, EGTA and derivatives thereof, unsaturated fatty acids and derivatives thereof (for example γ-linolenic acid, linoleic acid, oleic acid), folic acid and derivatives thereof, ubiquinone and ubiquinol and derivatives thereof, vitamin C and derivatives thereof (for example ascorbyl palmitate, Mg ascorbyl phosphate, ascorbyl acetate), tocopherols and derivatives (for example vitamin E acetate), vitamin A and derivatives (vitamin A palmitate) and coniferyl benzoate of benzoin resin, rutinic acid and derivatives thereof, α-glycosyl rutin, ferulic acid, furfurylidene glucitol, carnosine, butyl hydroxytoluene, butyl hydroxyanisole, nordihydroquaiac resin acid, nordihydroguaiaretic acid, trihydroxybutyrophenone, uric acid and derivatives thereof, mannose and derivatives thereof, Superoxid-Dismutase, zinc and derivatives thereof (for example ZnO, ZnSO₄),

selenium and derivatives thereof (for example selenium methionine), stilbenes and derivatives thereof (for example stilbene oxide, trans-stilbene oxide) and derivatives of these active substances suitable for the purposes of the invention (salts, esters, ethers, sugars, nucleotides, nucleosides, peptides and lipids).

In addition, **hydrotropes**, for example ethanol, isopropyl alcohol or polyols, may be used to improve flow behavior. Suitable polyols preferably contain 2 to 15 carbon atoms and at least two hydroxyl groups. Typical examples are

10 ● glycerol;

5

20

- alkylene glycols such as, for example, ethylene glycol, diethylene glycol, propylene glycol, butylene glycol, hexylene glycol and polyethylene glycols with an average molecular weight of 100 to 1000 dalton;
- technical oligoglycerol mixtures with a degree of self-condensation of 1.5 to 10 such as, for example, technical diglycerol mixtures with a diglycerol content of 40 to 50% by weight;
 - methylol compounds such as, in particular, trimethylol ethane, trimethylol propane, trimethylol butane, pentaerythritol and dipentaerythritol;
 - lower alkyl glucosides, particularly those containing 1 to 8 carbon atoms in the alkyl group, for example methyl and butyl glucoside;
 - sugar alcohols containing 5 to 12 carbon atoms, for example sorbitol or mannitol,
- sugars containing 5 to 12 carbon atoms, for example glucose or sucrose;
 - aminosugars, for example glucamine.

Suitable **preservatives** are, for example, phenoxyethanol, 30 formaldehyde solution, parabens, pentanediol or sorbic acid and the other

10

15

20

25

30

classes of compounds listed in Appendix 6, Parts A and B of the Kosmetikverordnung ("Cosmetics Directive"). Suitable **insect repellents** are N,N-diethyl-m-toluamide, pentane-1,2-diol or Insect Repellent 3535. A suitable **self-tanning agent** is dihydroxyacetone.

Suitable perfume oils are mixtures of natural and synthetic Natural perfumes include the extracts of blossoms (lily, perfumes. lavender, rose, jasmine, neroli, ylang-ylang), stems and leaves (geranium, patchouli, petitgrain), fruits (anise, coriander, caraway, juniper), fruit peel (bergamot, lemon, orange), roots (nutmeg, angelica, celery, cardamon, costus, iris, calmus), woods (pinewood, sandalwood, guaiac wood, cedarwood, rosewood), herbs and grasses (tarragon, lemon grass, sage, thyme), needles and branches (spruce, fir, pine, dwarf pine), resins and balsams (galbanum, elemi, benzoin, myrrh, olibanum, opoponax). Animal raw materials, for example civet and beaver, may also be used. Typical synthetic perfume compounds are products of the ester, ether, aldehyde, ketone, alcohol and hydrocarbon type. Examples of perfume compounds of the ester type are benzyl acetate, phenoxyethyl isobutyrate, p-tert.butyl cyclohexylacetate, linalyl acetate, dimethyl benzyl carbinyl acetate, phenyl ethyl acetate, linalyl benzoate, benzyl formate, ethylmethyl phenyl glycinate, allyl cyclohexyl propionate, styrallyl propionate and benzyl salicylate. Ethers include, for example, benzyl ethyl ether while aldehydes include, for example, the linear alkanals containing 8 to 18 carbon atoms, citronellyloxyacetaldehyde, cyclamen aldehyde, citronellal. citral. hydroxycitronellal, lilial and bourgeonal. Examples of suitable ketones are the ionones, α -isomethylionone and methyl cedryl ketone. Suitable alcohols are anethol, citronellol, eugenol, isoeugenol, geraniol, linalool, phenylethyl alcohol and terpineol. The hydrocarbons mainly include the terpenes and balsams. However, it is preferred to use mixtures of different perfume compounds which, together, produce an agreeable perfume. Other suitable perfume oils are essential oils of relatively low volatility

10

15

20

which are mostly used as aroma components. Examples are sage oil, camomile oil, clove oil, melissa oil, mint oil, cinnamon leaf oil, lime-blossom oil, juniper berry oil, vetiver oil, olibanum oil, galbanum oil, labolanum oil and lavendin oil. The following are preferably used either individually or in the form of mixtures: bergamot oil, dihydromyrcenol, lilial, lyral, citronellol, phenylethyl alcohol, α -hexylcinnamaldehyde, geraniol, benzyl acetone, cyclamen aldehyde, linalool, Boisambrene Forte, Ambroxan, indole, hedione, sandelice, citrus oil, mandarin oil, orange oil, allylamyl glycolate, cyclovertal, lavendin oil, clary oil, β -damascone, geranium oil bourbon, cyclohexyl salicylate, Vertofix Coeur, Iso-E-Super, Fixolide NP, evernyl, iraldein gamma, phenylacetic acid, geranyl acetate, benzyl acetate, rose oxide, romillat, irotyl and floramat.

Suitable **dyes** are any of the substances suitable and approved for cosmetic purposes as listed, for example, in the publication "Kosmetische Färbemittel" of the Farbstoffkommission der Deutschen Forschungsgemeinschaft, Verlag Chemie, Weinheim, 1984, pages 81 to 106. These dyes are normally used in concentrations of 0.001 to 0.1% by weight, based on the mixture as a whole.

The total percentage content of auxiliaries and additives may be from 1 to 50% by weight and is preferably from 5 to 40% by weight, based on the particular composition. The compositions may be produced by standard cold and hot methods and are preferably produced by the phase inversion temperature method.

Examples

Table 1. Cosmetic preparations (water, preservative to 100% by weight)

	-0.18861888787 V				*40	and the second	10 mm - 2.00			
Composition (INCI)	1	2	3	4	5	6	7	8	9	10
Texapon® NSO	-	30.0	-	-	25.0	-	-	-	-	-
Sodium Laureth Sulfate										
Plantacare® 818	-	10.0	30.0	-	20.0	-	-	-	-	-
Coco Glucosides										
Plantacare® PS 10	22.0	-	-	22.0	-	-	-	-	-	-
Sodium Laureth Sulfate (and) Coco										
Glucosides										
Dehyquart® C 4046	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Dipalmoyl Methyl Triethanol-										
ammonium Methosulfate (and)										
Cetearyl Alcohol (and) Ceteareth-10						<u> </u>			ļ	
Dehyton®PK 45	15.0	10.0	10.0	15.0	20.0	-	-	-	-	-
Cocamidopropyl Betaine				ļ		<u> </u>		ļ	F 0	
Emulgade® SE	-	-	-	-	-	5.0	5.0	-	5.0	-
Glyceryl Stearate (and) Ceteareth	İ				1					
12/20 (and) Cetearyl Alcohol (and)								ł		
Cetyl Palmitate		ļ	15.0		ļ			-	-	
Eumulgin® B1	-	-	15.0	-	-	-	-	-	-	-
Ceteareth-12					-	-		ļ	<u> </u>	<u> </u>
Eumulgin® HRE 60	-	-	-	-	5.0	-	-	-	-	-
PEG 60 Hydrogenated Castor Oil		ļ	<u> </u>	ļ	ļ. —		-	4.0	 	1_
Lameform® TGI	-	-	-	-	-	-	-	4.0	-	-
Polyglyceryl-3 Isostearate		-		 			-	-	-	4.0
Dehymuls® PGPH	-	-	3.8	-	-	-	-	-	-	7.0
Polyglyceryl-2 Dipolyhydroxystearate						-	+	2.0	+ <u>-</u>	2.0
Monomuls® 90-O 18	-	-	-	-	-	-	-	2.0	-	2.0
Glyceryl Oleate	100	-	+	2.0	5.0	+	 	-	-	
Cetiol® HE	2.0	-	-	2.0	5.0	-	1	-		
PEG-7 Glyceryl Cocoate		+	 -	-	-	-	-	5.0		5.0
Cetiol® OE	-	-	-	1 -	-	-	-	0.0		0.0
Dicaprylyl Ether	+	-	+-	-	-	 -	 	10.0	3.0	10.0
Cetiol® PGL	-	-	-	-				10.0	0.0	1
Hexyldecanol (and) Hexyldecyl Laurate										
Cetiol® SN	 	+-	 -	-	 -	3.0	3.0	-	-	-
Cettore SN Cetearyl Isononanoate	-	-				0.0				
Cetiol® V	-	+-	5.0	+-	-	3.0	3.0	-	3.0	-
Decyl Oleate			0.0							
Myritol® 318	-	<u> </u>	-	†-	-	-	-	5.0	-	5.0
Coco Caprylate Caprate										
Bees Wax	-	-	T-	-	-	-	-	7.0	-	7.0
Nutrilan® Keratin W	+-	 -	-	 - -		40.0	60.0	-	60.0	-
Hydrolyzed Keratin										
Lamesoft® LMG	 -	4.0	-	-	2.0	-	-	-	-	-
Glyceryl Laurate (and) Potassium	-	4.0								
Cocoyl Hydrolyzed Collagen										
Gluadin® WK	2.0	2.0	4.0	2.0	5.0	-	-	5.0	-	5.0
Sodium Cocoyl Hydrolyzed Wheat										
Protein										
Euperlan® PK 3000 AM	5.0	 	T-	5.0	-	-	-	-	-	T -
Glycol Distearate (and) Laureth-4			1					1		
(and) Cocamidopropyl Betaine							_			-
Arlypon® F	-	-	1.5	-	-	-	-	-	-	-
Laureth-2									1	
Glycerin (86% by weight)	-	-	-	-	-	3.0	3.0	5.0	3.0	5.0

⁽¹⁻⁵⁾ foam bath, (6) soft sream, (7,9) moisturizing emulsion, (8,10) night cream

Table 1 Cosmetic preparations (water, preservative to 100% by weight) - continued

	773/9990-0000pess	THE REAL PROPERTY.	75 5 5 4 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	March Control Control		Malaybo (1998)	Parameter Control	betelranen.		1000
Composition (INCI)	11	12	13	14	15	16	17	18	19	20
Dehymuls® PGPH	2.0	3.0	-	5.0	-	-	-	-	-	-
Polyglyceryl-2 Dipolyhydroxystearate										
Lameform® TGI	4.0	1.0	-	-	-	-	-	-	-	-
Polyglyceryl-3 Diisostearate										
Emulgade® PL 68/50	-	-	-		4.0	-	-	-	3.0	-
Cetearyl Glucoside (and) Cetearyl										
Alcohol		l								
Eumulgin® B2	-	-	-	-	-	-	-	2.0	-	-
Ceteareth-20				<u> </u>						
Tegocare® PS	-	-	-	-	-	-	4.0	•	-	-
Polyglyceryl-3 Methylglucose Distearate							ļ			
Eumulgin VL 75	-	-	-	-	-	3.5	-	-	2.5	-
Polyglyceryl-2 Dipolyhydroxystearate					1					
(and) Lauryl Glucoside (and) Glycerin						ļ				
Bees Wax	3.0	2.0	5.0	2.0	-	-	-	-	-	-
Cutina® GMS	-	-	-	-	-	2.0	4.0	-	-	4.0
Glyceryl Stearate			L		 	<u> </u>		4.5	4.6	
Lanette® O	-	-	2.0	-	2.0	4.0	2.0	4.0	4.0	1.0
Cetearyl Alcohol					<u> </u>					
Plantaren® 818	5.0	-	10.	-	8.0	6.0	6.0	-	5.0	5.0
Cocoglycerides	İ		0							
Dehyquart® C 4046	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Dipalmoyl Methyl Triethanolammonium										
Methosulfate (and) Cetearyl Alcohol		1						1		
(and) Ceteareth-10l			<u> </u>	<u> </u>						
Finsolv® TN	-	6.0	-	2.0	-	-	3.0	-	-	2.0
C12/15 Alkyl Benzoate		ļ.,				<u> </u>	1	0.0	1.0	
Dioctyl Carbonate	5.0	4.0	6.0	8.0	6.0	5.0	4.0	3.0	4.0	6.0
Cetiol® J 600	2.0	-	3.0	5.0	4.0	3.0	3.0	-	5.0	4.0
Oleyl Erucate	<u> </u>									
Cetiol® OE	3.0	-	-	-	-	1.0	-	-	-	-
Dicaprylyl Ether			ļ		ļ			ļ.,		
Mineral Oil	-	4.0	-	4.0	<u> </u>	2.0	-	1.0	-	-
Cetiol® PGL	-	7.0	3.0	7.0	4.0	-	-	-	1.0	-
Hexadecanol (and) Hexyldecyl Laurate		.							ļ.,_	
Panthenol / Bisabolol	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Copherol® F 1300	0.5	1.0	1.0	2.0	1.0	1.0	1.0	2.0	0.5	2.0
Tocopherol / Tocopheryl Acetate			<u> </u>							1
Neo Heliopan® Hydro	3.0	-	-	3.0	-	-	2.0	-	2.0	-
Sodium Phenylbenzimidazole Sulfonate		1				1	<u> </u>			
Neo Heliopan® 303	-	5.0	-	-	-	4.0	5.0	-	-	10.
Octocrylene										0
Neo Heliopan® BB	1.5	 -	-	2.0	1.5	-	-	-	2.0	-
Benzophenone-3										ļ
Neo Heliopan® E 1000	5.0	-	4.0	-	2.0	2.0	4.0	10.0	-	-
Isoamyl p-Methoxycinnamate									<u> </u>	
Neo Heliopan® AV	4.0	-	4.0	3.0	2.0	3.0	4.0	-	10.0	2.0
Octyl Methoxycinnamate										<u> </u>
Uvinol® T 150	2.0	4.0	3.0	1.0	1.0	1.0	4.0	3.0	3.0	3.0
Octyl Triazone							ļ			<u> </u>
Zinc Oxide	-	6.0	6.0	-	4.0	-	-	-	-	5.0
Titanium Dioxide	-	2.0	2.0	_	-	_	-	5.0		-
Glycerin (86% by weight)	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0

⁽¹¹⁾ w/o sun protection cream, (12-14) w/o sun protection lotion, (15,18,20) o/w sun protection lotion, (16,17,19) o/w sun protection cream

CLAIMS

- 1. The use of cationic mixtures containing
- (a) esterquats,
- 5 (b) oil components,
 - (c) fatty alcohols and
 - (d) fatty alcohol polyglycol ethers

for the production of skin-cleansing and skin-care products.

10

2. The use claimed in claim 1, characterized in that esterquats corresponding to formula (I):

15

$$[R^{1}CO-(OCH_{2}CH_{2})_{m}OCH_{2}CH_{2}-N^{+}-CH_{2}CH_{2}O-(CH_{2}CH_{2}O)_{n}R^{2}]X^{-}$$

$$CH_{2}CH_{2}O(CH_{2}CH_{2}O)_{p}R^{3}$$
(I)

- in which R¹CO is an acyl group containing 6 to 22 carbon atoms, R² and R³ independently of one another represent hydrogen or have the same meaning as R¹CO, R⁴ is an alkyl group containing 1 to 4 carbon atoms or a (CH₂CH₂O)_qH group, m, n and p together stand for 0 or numbers of 1 to 12, q is a number of 1 to 12 and X is halide, alkyl sulfate or alkyl phosphate,
- 25 are used.
 - 3. The use claimed in claim 1, characterized in that esterquats corresponding to formula (II):

30

in which R¹CO is an acyl group containing 6 to 22 carbon atoms, R² is hydrogen or has the same meaning as R¹CO, R⁴ and R⁵ independently of one another are alkyl groups containing 1 to 4 carbon atoms, m and n together stand for 0 or numbers of 1 to 12 and X stands for halide, alkyl sulfate or alkyl phosphate, are used

4. The use claimed in claim 1, characterized in that esterquats corresponding to formula (III):

$$R^6$$
 O-(CH₂CH₂O)_mOCR¹
| | | | | | [R⁴-N⁺-CH₂CHCH₂O-(CH₂CH₂O)_nR²]X⁻ (III)
 R^7

15

20

25

30

10

5

in which R^1CO is an acyl group containing 6 to 22 carbon atoms, R^2 is hydrogen or has the same meaning as R^1CO , R^4 , R^6 and R^7 independently of one another are alkyl groups containing 1 to 4 carbon atoms, m and n together stand for 0 or numbers of 1 to 12 and X stands for halide, alkyl sulfate or alkyl phosphate,

are used.

5. The use claimed in at least one of claims 1 to 4, characterized in that oil components selected from the group consisting of Guerbet alcohols based on fatty alcohols containing 6 to 18 and preferably 8 to 10 carbon atoms, esters of linear C_{6-22} fatty acids with linear C_{6-22} fatty alcohols, esters of branched C_{6-13} carboxylic acids with linear C_{6-22} fatty alcohols, esters of linear C_{6-22} fatty acids with branched alcohols, more particularly 2-ethyl hexanol, esters of hydroxycarboxylic acids with linear or branched C_{6-22} fatty alcohols, esters of linear and/or branched fatty acids with polyhydric alcohols and/or Guerbet alcohols, triglycerides based on C_{6-10} fatty acids, liquid mono-/di-/triglyceride mixtures based on C_{6-18} fatty acids, esters of

 C_{6-22} fatty alcohols and/or Guerbet alcohols with aromatic carboxylic acids, esters of C_{2-12} dicarboxylic acids with linear or branched alcohols containing 1 to 22 carbon atoms or polyols containing 2 to 10 carbon atoms and 2 to 6 hydroxyl groups, vegetable oils, branched primary alcohols, substituted cyclohexanes, linear and branched C_{6-22} fatty alcohol carbonates, Guerbet carbonates, esters of benzoic acid with linear and/or branched C_{6-22} alcohols, linear or branched, symmetrical or nonsymmetrical dialkyl ethers containing 6 to 22 carbon atoms per alkyl group, ring opening products of epoxidized fatty acid esters with polyols, silicone oils and/or aliphatic or naphthenic hydrocarbons, are used

6. The use claimed in at least one of claims 1 to 5, characterized in that fatty alcohols corresponding to formula (IV):

R⁸OH (IV)

15

30

10

5

in which R^8 is a linear or branched alkyl and/or alkenyl group containing 6 to 22 carbon atoms,

are used.

7. The use claimed in at least one of claims 1 to 6, characterized in that fatty alcohol polyglycolethers corresponding to formula (V):

$$R^{9}O(CH_{2}CH_{2}O)_{n}H$$
 (V)

in which R⁹ is a linear or branched alkyl and/or alkenyl group containing 6 to 22 carbon atoms and n is a number of 1 to 20, are used.

8. The use claimed in at least one of claims 1 to 7, characterized in that mixtures of esterquats and fatty alcohols directly obtained by alkylation of alkanolamine fatty acid esters in mixtures of the fatty alcohols and fatty alcohol polyglycol ethers are used.

- 9. The use claimed in at least one of claims 1 to 8, characterized in that
- (a) 0.1 to 25% by weight of esterquats
- 5 (b) 0.5 to 90% by weight of oil components,
 - (c) 0.1 to 75% by weight of fatty alcohols and
 - (d) 0.1 to 75% by weight of fatty alcohol polyglycol ethers,

are used, with the proviso that the quantities shown add up to 100% by weight with water and optionally other ingredients.

10. The use claimed in at least one of claims 1 to 9, characterized in that the esterquats on the one hand and the mixtures of the fatty alcohols and fatty alcohol polyglycol ethers on the other hand are used in a ratio by weight of 10:90 to 90:10.

Abstract of the Disclosure

A process for treating human skin and hair involving contacting the skin or hair with an aqueous composition containing: (a) an esterquat; (b) an oil component; (c) a fatty alcohol; and (d) a fatty alcohol polyglycol ether.

1 200	
. 5000 .0000	ı
1 54	1
	ı
W	ı
	١
: 53	ı
143	١
] -i.	Ì
£	ı
	١
1	ı
i	۱
143	Į
	[

"Express Mail" mailing label numb	erEL541613165US	·	PTO/SB/01 (6-95)					
Type a plus sign (+) inside this b	ox →		for use through: 10/31/98 OMB 0651-0032 COffice; U.S. DEPARTMENT OF COMMERCE					
0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number	H 3739 PCT/US					
DECLARAT	ION FOR	First Named Inventor	Jackwerth, Bettina					
UTILITY OF	RDESIGN	COMPLETE IF KNOWN						
PATENT APP		Application Number 09/831,431						
		Filing Date	07/13/01					
Declaration OF Submitted	R X Declaration Submitted after	Group Art Unit						
with Initial Filing	Initial Filing	Examiner Name						
the specification of which is attached hereto OR X was filed on (MM/DD/YYYY Application Number PCT/EP9 I hereby state that I have reviewed ar amendment specifically referred to at I acknowledge the duty to disclose in	9/08286 and was am dunderstand the contents of the altoove.	as United S mended on (MM/DD/YYYY) bove identified specification, incompatibility as defined in Title 37 Company						
certificate, or §365(a) of any PCT Into and have also identified below, by ch having a filing date before that of the	ernational application which designated the box, any foreign application on which priority is claim application on which priority is claim.	ated at least one country other the tion for patent or inventor's certined.	oreign application(s) for patent or inventor's nan the United States of America, listed below ficate, or of any PCT International application					
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Certified Copy Attached? Not Claimed YES NO					
198 51 429.8	Germany	11/09/1998	X X					
Additional foreign application n	umbers are listed on a supplementa	al priority sheet attached hereto:						
I hereby claim the benefit under Title	1							
Application Number(s)	Filing Date (MM/DD/YYYY)		Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.					

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington DC 20231.

1 0000
153
ļ,i
#
i sià
2
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
in a dim
123

Type a plus sign (+) inside this box →			H 3739 PCT/US
		_	_

DECLARATION

Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365© of any PCT international application designating the United Sates of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112.1 acknowledge the duty to disclose in the prior United States of PCT international application in the manner provided by the first paragraph of Title 37, Code §112.1 acknowledge the duty to disclose in the provided by the first paragraph of Title 37.1 Code §112.1 acknowledge the duty

to disclose information which is material	al to patentabil ne national or l	ity as defined in Title PCT international fili	e 37, Code of Fed ing date of this ap	eral Regulations § plication.	1.56 which be	ecame availab	ie between t	ne
U.S. Parent Application Number	PC	Г Parent umber	Parent	Filing Date D/YYYY)	Pare	ent Paten <i>(if applic</i>		er
	PCT/EP	99/08286	10/30/19	99				
	<u> </u>	1-6-1			askad barata	<u> </u>		
Additional U.S. or PCT internatio								
As a named inventor, I hereby appoint Trademark Office connected therewith	the following a	attorney(s) and/or ag	gent(s) to prosecu	te this application	and to transa	ct all business	in the Pater	nt and
Firm Name				Customer of Number	rlabel			
X List Attorney(s) and/or agent(s) r	name and regis	stration number belo	ow:					
Name		Registration Number		Name			Registra Numb	ation er
John E. Drach		32,891	Steven J	Trzaska		-	36,29€	•
Aaron E. Ettelman	•	42,516	Henry E.	18,980	<u>Ď</u>			
							<u> </u>	
Additional attorney(s) and/or age	nt(s) named o	n a supplemental sh	neet attached here	to.				
Please direct all correspondence to:	X Customer Number	or label	236	57	OR	Fill in corr address b	espondence elow	:
Name Steven J. Trza	aska							
Address Address								
City			State			Zip		
Country	Teleph		-278-4929	Fa		610-278-6		
hereby declare that all state information and belief are be willful false statements and the Title 18 of the United States or any patent issued thereon	lieved to be ne like so n Code and t	e true; and furth nade are punisl	ner that these hable by fine (statements w	ere made \ nt. or both	with the Kno	owleage to	1 01
Name of Sole or First Inv	/entor:			A petition	on has been fi	led for this uns	signed invent	tor
Given Name Bettina		Middle Initial	Family Name	Jackwert	h		Suffix ə.g. Jr.	
Inventor's Signature	- B)	٧٠)			Date	June	01,20	001
Residence: City Langenfeld	TE	State	Countr	y <u>Germany</u>		<i>e</i> itizenship	Germ	any
Post Office Address Brunne	nstrasse 33	b		-				
Post Office Address								
City 40764 Langenfeld	State	Zip	Country	Germany	Applicant	Authority		
X Additional inventors are	being name	d on supplementa	al sheet(s) attac	hed hereto				

Туре а	plus s	sign (+) ins	side this box →											Н3	739	PCT	/us_
				ARATION ADDITIONAL INVENTOR Supplemental Sheet													
Name	of A	Addition	al Joint In	ventor,	if any:	:	-		A petition has been filed for this unsigned inventor								
Given Name∕	K	Thoma	S		Middle Initial			Fan Nan		_Ga	ssenme	eier			Suffi e.g.		
Invento Signati		Th	gwin	ru	Yuli	W						Date		June		1,2	001
Reside	nce: (City Due	esseldorf	12	State			Co	ountry	Ge	rmany		'	ditizensh	ip	Germ	any
Post O	ffice A	ddress	Mannheime	r Weg 16	3 ·												
Post O	ffice A	Address															
City	4022	9 Duesse	ldorf	State		Zip	·		Cou	ntry	German	y		Applicar Authorit			
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor																	
Given Name)	1	Cristin	ıa_		Middle Initial	Ī		Far Nai	nily me	An	nela Co	nesa			Suff e.g.		
Invent			****									Date					
Reside	ence:	City Ba	rcelona <	EX	State			C	ountry	S	pain			Citizensh	nip	Spair	1
Post C	Office	Address	Paseo Valle	daura 16	2, 6-1												
Post C	Office	Address															_ ,
City	0804	12 Barcelo	ona	State		Zi	р		Cou	intry	Spain			Applica Authori			
Nam	e of	Additio	nal Joint Ir	ventor	r, if any	/ :					etition ha	as beer	n file	d for thi	s uns	signed	<u> </u>
Given Name		Esthe	ŗ		Middle Initial				mily me	Pr	at Quer	alt			Suf e.g.		
Inven Signa				~			****					Date					
Resid	ence:	City Al	ella 🗲	<u> 5x</u>	State	,			ountr	/ S	pain			Citizens	hip	Spai	n
Post 6	Office	Address	Calle Guill	erias 18			_										
Post City		Address 28 Alella	<u> 1</u>	State	Τ	z	ip		Cor	untry	Spain		Арр	licant Aut	thority		
Nam	ne of	Additio	nal Joint I	nvento	r, if an	y:				A j	etition h	as bee	n file	ed for th	is un	signe	d
Giver Name					Middle Initial			Fa Na	amily ame						Su e.g	ffix . Jr.	
Inver Signa												Date	•				
Resid	dence	City			Stat	е			Countr	у				Citizens	ship		
Post	Office	Address															
Post	Office	Address															
City				State		Ž	Zip		Co	untry			App	olicant Au	thorit	у	
	Add	ditional in	entors are be	ing name	ed on sup	plen	nental s	heet(s	s) attac	ched h	nereto						

0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number	H 3739 PCT	/US
DECLAR	RATION FOR	First Named Inventor	Jackwerth,	Bettina
	OR DESIGN	СОМ	PLETE IF KN	OWN
	APPLICATION	Application Number		
I AI EIII I		Filing Date		
Declaration	OR Declaration Submitted after	Group Art Unit		
Submitted with Initial Filin		Examiner Name		
UTILIZATION OF	F CATION-ACTIVE MIXTUR	ES the Invention)		
is attached hereto				
OR OR	DAAAAA	as United S	tates Application N	ımber or PCT Internation
x was filed on (MM/DI	10,00,1000			
	/EP99/08286	mended on (MM/DD/YYYY)		(if applicable)
I hereby state that I have review amendment specifically referre	ewed and understand the contents of the	above identified specification, incl	luding the claims, as	s amended by any
•	ed to above.			
I acknowledge the duty to disc	ed to above. close information which is material to pate	intability as defined in Title 37 Co	de of Federal Regul	ations, § 1.56.
	close information which is material to pate			
I hereby claim foreign priority certificate, or §365(a) of any P and have also identified below having a filing date before tha Prior Foreign Application	close information which is material to pate benefits under Title 35, United States Cor PCT International application which design v, by checking the box, any foreign applic t of the application on which priority is cla	de §119(a)-(d) or §365(b) of any fe nated at least one country other the ation for patent or inventor's certified. Foreign Filing Date	oreign application(s) nan the United State ficate, or of any PCT	for patent or inventor's is of America, listed belov International application Certified Copy Attache
I hereby claim foreign priority certificate, or §365(a) of any P and have also identified below having a filing date before that Prior Foreign Application Number(s) 198 51 429.8	benefits under Title 35, United States Cor CT International application which design v, by checking the box, any foreign applic t of the application on which priority is cla	de §119(a)-(d) or §365(b) of any frated at least one country other thation for patent or inventor's certifized. Foreign Filing Date (MM/DD/YYYY) 11/09/1998	oreign application(s nan the United State ficate, or of any PCT Priority Not Claimed	of for patent or inventor's sof America, listed below International application Certified Copy Attache YES NO
I hereby claim foreign priority certificate, or \$365(a) of any P and have also identified below having a filing date before that Prior Foreign Application Number(s) 198 51 429.8	benefits under Title 35, United States Coper International application which design, by checking the box, any foreign application the application on which priority is classically control of the application on which priority is classically control of the application on which priority is classically control of the application on which priority is classically control of the application of the	de \$119(a)-(d) or \$365(b) of any fronted at least one country other thation for patent or inventor's certifized. Foreign Filing Date (MM/DD/YYYY) 11/09/1998 ttal priority sheet attached hereto:	oreign application(s nan the United State ficate, or of any PCT Priority Not Claimed	of for patent or inventor's sof America, listed below.

"Express Mail" mailing label number __

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington DC 20231.

are listed on a supplemental priority sheet attached hereto. PTO/SB/01 (6-95)

Approved for use through: 10/31/98 OMB 0651-0032

The line and the same

4

1=1

Туре	а	plus	sign	(+)	inside	this	box

H 3739 PCT/US

DECLARATION

Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365© of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112.1 acknowledge the duty to disclose information which is material to patentiality as defined in Title 37. Code of Federal Regulations &1.56 which became available between the

filing date of the prior application and th	e national or	PCT international t		ication.	,									
U.S. Parent		T Parent		iling Date	Pare	nt Numb	er							
Application Number		umber		D/YYYY)		(if appli	cause)							
	PCT/EF	99/08286	10/30/199	99										
Additional U.S. or PCT internation	nal application	numbers are liste	d on a supplemental	priority sheet att	ached hereto.									
As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:														
Firm Name				Customer or Number	r label	bel								
X List Attorney(s) and/or agent(s) name and registration number below:														
Name		Registration Number		Name		Registr Numb	ber							
John E. Drach		32,891	Steven J.	Trzaska			36,29	6						
Aaron E. Ettelman		42,516	Henry E. N	/lillson, Jr.			18,980							
Additional attorney(s) and/or ager	nt(s) named o	n a supplemental s	sheet attached hereto	١.										
Please direct all correspondence to:	X Customer Number	r or label	23657	7	OR	Fill in cor address	respondence below	espondence elow						
Name Steven J. Trza	ska													
Address														
Address			State		Т	Zip								
City	Telenh	one 610	0-278-4929	Fa		610-278-6548								
hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.														
Name of Sole or First Inv	entor:		A petition has been filed for this unsigned inventor											
Given Bettina Name		Middle Initial	Family Name	Jackwert	h	1								
Inventor's Signature				Date										
Residence: City Langenfeld		State	Country		Citizenship Germany									
	nstrasse 33	b												
Post Office Address														
City 40764 Langenfeld	State	Zip	Country	Germany	Applicant	Authority								
X Additional inventors are being named on supplemental sheet(s) attached hereto														

Type a plus sign (+) inside this box → H 3739 PCT/US												/US						
DECLARATION										ADDITIONAL INVENTOR(S) Supplemental Sheet								
Name of Additional Joint Inventor, if any:										A petition has been filed for this unsigned inventor								
Given Thomas								Far Nar	mily Gassenmeier			Suffix e.g. Jr.						
Inventor's Signature							<u> </u>											
							C	ountry	Germany Citizenship					Germany				
Post Office Address Mannheimer Weg 16																		
Post Office Address																		
City	4022	Duesseldorf State				Zip			Cour	ntry	German	у	Applicant Authority					
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor																		
Given Name		Cristina				Middle Initial				nily me	An	Amela Conesa			Suffix e.g. Jr.			
Inventor's Signature									Date				Yeen	e 01	2	001		
Residence: City Barcelona				State C			С	ountry	try Spain			Citizenship Spain						
Post Office Address Paseo Validaura 162, 6-1																		
Post C	Office A	Address																
City 08042 Barcelona State				Zip			Country Spain				Applica Authori	nt ty	t '					
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor																		
Given Esther Name						Fai Na	mily me	Prat Queralt				Suffix e.g. Jr.						
Inventor's Signature									Da			Date	June 01, 20			001		
Residence: City Alella			State		С	Country Spain		pain		Citizens	hip Spain							
Post 0	Office /	Address	Calle	Guille	erias 18													
Post Office Address City 08328 Alella State					Zip			Country Spain			Ap	hority						
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned																		
					 ,						inve	entor			T			
Given Name				Middle Fa Initial N			Fa Na	mily me					Suffix e.g. Jr.					
Inventor's Date Signature																		
Residence: City					State (С	Country				Citizenship					
Post Office Address																		
Post (Office .	Address																
City					State	1	Zi	р		Cou	intry		Ар	plicant Au	thority			
Additional inventors are being named on supplemental sheet(s) attached hereto																		